

SAFETY DATA SHEET
(BRIGHT CHEM) WS STAIN REPEL RINSE

Page: 1
Compilation date: 08/01/2024
Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name:(BRIGHT CHEM) WS STAIN REPEL RINSE

Product code: PD0948

Synonyms: PD0948

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture:Water based carpet and fabric cleaner.

1.3. Details of the supplier of the safety data sheet

Company name: BRIGHTCHEM

39

SWIFT CLOSE

WOODLANDS

DONCASTER

DN67FT

Tel: +44(0)7928795132

Email: SALES@BRIGHTCHEM.CO.UK

1.4. Emergency telephone number

Emergency tel: +44 (0)7928795132

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

SAFETY DATA SHEET (BRIGHT CHEM) WS STAIN REPEL RINSE

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315: Get immediate medical advice/attention.

Haz. ingredients (label): Contains: PRIMARY ALCOHOL ETHOXYLATE

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE - REACH registered number(s): 01-2119980051-45-XXXX

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|--------|------------|-----------|--------------------------------------|---------|
| - | 68439-46-3 | - | Acute Tox. 4: H302; Eye Dam. 1: H318 | 1-10% |

2-BUTOXY ETHANOL - REACH registered number(s): 01-2119475108-36-XXXX

| | | | | |
|-----------|----------|---|---|-------|
| 203-905-0 | 111-76-2 | - | Acute Tox. 3: H331; Acute Tox. 4: H312; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Acute Tox. 4: H302 | 1-10% |
|-----------|----------|---|---|-------|

TETRAPOTASSIUM PYROPHOSPHATE - REACH registered number(s): 01-2119489369-18-XXXX

| | | | | |
|-----------|-----------|---|--------------------|-------|
| 230-785-7 | 7320-34-5 | - | Eye Irrit. 2: H319 | 1-10% |
|-----------|-----------|---|--------------------|-------|

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

[cont...]

SAFETY DATA SHEET

(BRIGHT CHEM) WS STAIN REPEL RINSE

Page: 3

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

[cont...]

SAFETY DATA SHEET

(BRIGHT CHEM) WS STAIN REPEL RINSE

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-BUTOXY ETHANOL

Workplace exposure limits:

Respirable dust:

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | 25ppm (Sk) | 50ppm (Sk) | - | - |

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Perceptible odour

Evaporation rate: Slow

Solubility in water: Miscible in all proportions

Boiling point/range°C: 100

Melting point/range°C: 0

Relative density: ~1.03

pH: 11.00

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET

(BRIGHT CHEM) WS STAIN REPEL RINSE

Page: 5

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

| | | | |
|-----|-----|------|----------------|
| IHL | RAT | LC50 | >5 mg/l |
| ORL | RAT | LD50 | 200-2000 mg/kg |
| SKN | RAT | LD50 | >2000 mg/kg |

2-BUTOXY ETHANOL

| | | | |
|-----|-----|------|------------|
| ORL | RAT | LD50 | 1200 mg/kg |
|-----|-----|------|------------|

TETRAPOTASSIUM PYROPHOSPHATE

| | | | |
|-----|-----|------|-------------|
| ORL | RBT | LD50 | >2000 mg/kg |
|-----|-----|------|-------------|

Relevant hazards for product:

| Hazard | Route | Basis |
|-------------------------------|-------|-----------------------|
| Serious eye damage/irritation | OPT | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

[cont...]

SAFETY DATA SHEET

(BRIGHT CHEM) WS STAIN REPEL RINSE

Page: 6

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

| | | |
|------|----------|-----------|
| FISH | 96H LC50 | 1-10 mg/l |
|------|----------|-----------|

2-BUTOXY ETHANOL

| | | |
|--|----------|-----------|
| RAINBOW TROUT (<i>Oncorhynchus mykiss</i>) | 96H LC50 | 1474 mg/l |
|--|----------|-----------|

TETRAPOTASSIUM PYROPHOSPHATE

| | | |
|--|----------|----------|
| RAINBOW TROUT (<i>Oncorhynchus mykiss</i>) | 96H LC50 | 100 mg/l |
|--|----------|----------|

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 20 01 30

Disposal of packaging: Clean with water. May be reused following decontamination. Recycle container where permitted. Disposal of waste containers must be done in accordance with local and / or national regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

[cont...]

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information**Other information**

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. H302: Harmful if swallowed. H312: Harmful in contact with skin. H315:

Phrases used in s.2 and s.3: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H331: Toxic if inhaled.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.