

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: BRIGHT CHEM HIGH PERFORMANCE PRE-SPRAY

Product code: PD0976

Synonyms: PD0976

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water based carpet and fabric cleaner.

### 1.3. Details of the supplier of the safety data sheet

Company name: BRIGHTCHEM

UNIT B8

GROVE PARK SPRINGVALE RD

GRIMETHORPE

BARNSLEY

S72 7BF

UK GB & NI

Tel: +44(0)7928795132

Email: sales@brightchem.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44(0)7928795132

(Office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: SkinCorr. 1B:H314; Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains perfume (containing: linalyl acetate, limonene, linalool). May produce an allergic reaction. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

Label elements: EUH208: Contains perfume (containing: linalyl acetate, limonene, linalool). May produce

Hazard statements: an allergic reaction. H314: Causes severe skin burns and eye damage. H412: Harmful to aquatic life with long lasting effects. GHS05: Corrosion

## SAFETY DATA SHEET

**BRIGHTCHEM HIGH PERFORMANCE PRE-SPRAY**

Hazard pictograms:



Page: 2

Signal words: Danger P102: Keep out of reach of children.

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315: Get immediate medical advice/attention.

Haz. ingredients (label): CONTAINS: DISODIUM METASILICATE; PERFUME (CONTAINING: LINALYL ACETATE, LIMONENE, LINALOOL)

**2.3. Other hazards**

PBT: This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients****3.2. Mixtures**

Hazardous ingredients:

DISODIUM METASILICATE - REACH registered number(s): 01-2119449811-37-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%

2-BUTOXY ETHANOL - REACH registered number(s): 01-2119475108-36-XXXX

203-905-0	111-76-2	-	Acute Tox. 3: H331; Acute Tox. 4: H312; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Acute Tox. 4: H302	1-10%
-----------	----------	---	---	-------

AMINES, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES - REACH registered number(s): 01-2119490061-47-XXXX

931-292-6	308062-28-4	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411	1-10%
-----------	-------------	---	---	-------

[cont...]

## BRIGHTCHEM HIGH PERFORMANCE PRE-SPRAY

PERFUME BLEU GW1346 (CONTAINING: LINALYL ACETATE, LIMONENE, LINALOOL)

-	-	-	Skin Irrit. 2: H315; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1: H317	<1%
---	---	---	--	-----

## Section 4: First aid measures

## 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

## Delayed / immediate effects:

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well-ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Hazardous ingredients: 2-BUTOXY ETHANOL

## BRIGHTCHEM HIGH PERFORMANCE PRE-SPRAY

Page: 5

Workplace exposure limits:

Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25ppm (Sk)	50ppm (Sk)	-	-

## DNEL/PNEC Values

DNEL / PNEC No data available.

## 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Evaporation rate: Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Viscosity: No data available.

Boiling point/range°C: 100

Melting point/range°C: 0

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: &gt;93

Part.coeff. n-octanol/water: No data available

Autoflammability°C: No data available.

Vapour pressure: No data available

Relative density: No 1.04

pH: 13

VOC g/l: No data available.

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## BRIGHTCHEM HIGH PERFORMANCE PRE-SPRAY

**10.3. Possibility of hazardous reactions**

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

Conditions to avoid: Heat.

**10.5. Incompatible materials**

Materials to avoid: Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

Haz. decomp. products: Incombustion emits toxic fumes.

**Section 11: Toxicological information****11.1. Information on toxicological effects****Hazardous ingredients:****DISODIUM METASILICATE**

ORAL	RAT	LD50	1280 mg/kg
------	-----	------	------------

**2-BUTOXY ETHANOL**

ORL	RAT	LD50	1200 mg/kg
-----	-----	------	------------

**AMINES, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES**

DERMAL	RAT	LD50	>2000 mg/kg
ORAL	RAT	LD50	1064 mg/kg

**Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

**Symptoms / routes of exposure**

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. There may be shortness of breath with a burning sensation in the throat.

**Section 12: Ecological information****12.1. Toxicity****Hazardous ingredients:****DISODIUM METASILICATE**

Daphnia magna	48H EC50	216	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	210	mg/l

**2-BUTOXY ETHANOL**

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1474 mg/l
-------------------------------------	----------	-----------

**AMINES, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES**

ALGAE	72H ErC50	0.146 mg/l
Daphnia magna	48H EC50	3.1 mg/l
FISH	96H LC50	2.67 mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** Nonbioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Negligible ecotoxicity.

**Section 13: Disposal considerations****13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 20 01 30

**Disposal of packaging:** May be reused following decontamination. Clean with water. Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information****14.1. UN number**

UN number: UN1760

**14.2. UN proper shipping name**

Shipping name: CORROSIVE LIQUID, N.O.S.

**14.3. Transport hazard class(es)**

Transport class: 8

**14.4. Packing group**

Packing group: III

**14.5. Environmental hazards**

Environmentally hazardous: No

Marine pollutant: No

**14.6. Special precautions for user**

Special precautions: Nospecial precautions.

Tunnel code: E

Transport category: 3

**Section 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Specific regulations: Not applicable.

**15.2. Chemical Safety Assessment**

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information****Other information**

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains perfume (containing: linalyl acetate, limonene, linalool). May produce an allergic reaction.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.  
H411: Toxic to aquatic life with long lasting effects.  
H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.