

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BRIGHT CHEM HIGH POWER WS ENZYME PRE-SPRAY

Product code: PD0947

Synonyms: PD0947

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: BRIGHTCHEM
UNIT B8 GROVE PARK
SPRINGVALE RD
GRIMETHORPE
BARNSLEY
S72 7BF
UK GB & NI
Tel: +44(0)7928795132
Email: sales@brightchem.co.uk

1.4. Emergency telephone number

Emergency tel: +44(0)7928795132

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1:H318

Most important adverse effects: Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection.

[cont ...]

SAFETY DATA SHEET

BRIGHT CHEM HIGH POWER WS ENZYME PRE-SPRAY

Page: 2

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315: Get immediate medical advice/attention.

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

Haz. ingredients (label): Contains: PRIMARY ALCOHOL ETHOXYLATE

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE - REACH registered number(s): 01-2119980051-45-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

2-BUTOXY ETHANOL - REACH registered number(s): 01-2119475108-36-XXXX

203-905-0	111-76-2	-	Acute Tox. 3: H331; Acute Tox. 4: H312; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Acute Tox. 4: H302	1-10%
-----------	----------	---	---	-------

TETRAPOTASSIUM PYROPHOSPHATE - REACH registered number(s): 01-2119489369-18-XXXX

230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-10%
-----------	-----------	---	--------------------	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures**5.1. Extinguishing media**

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage**7.1. Precautions for safe handling**

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well-ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-BUTOXY ETHANOL

Workplace exposure limits:

Respirable dust:

State	8hour TWA	15 min. STEL	8hour TWA	15 min. STEL
UK	25ppm (Sk)	50ppm (Sk)	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

State: Liquid

Colour: Colourless

Odour: Perceptible odour

Evaporation rate: Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Boiling point/range°C: 100

Flash point°C: >93

Relative density: ~1.03

pH: 9.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity**10.1. Reactivity**

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

IHL	RAT	LC50	>5 mg/l
ORL	RAT	LD50	200-2000 mg/kg
SKN	RAT	LD50	>2000 mg/kg

2-BUTOXY ETHANOL

ORL	RAT	LD50	1200 mg/kg
-----	-----	------	------------

TETRAPOTASSIUM PYROPHOSPHATE

ORL	RBT	LD50	>2000 mg/kg
-----	-----	------	-------------

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. There may be pain and redness.

Eye contact: The eyes may water profusely. There may be severe pain. The vision may become blurred.

May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

FISH	96H LC50	1-10 mg/l
------	----------	-----------

2-BUTOXY ETHANOL

RAINBOWTROUT(Oncorhynchus mykiss)	96H LC50	1474 mg/l
-----------------------------------	----------	-----------

TETRAPOTASSIUM PYROPHOSPHATE

RAINBOW TROUT(Oncorhynchusmykiss)	96H LC50	100 mg/l
-----------------------------------	----------	----------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Nobio accumulation potential.

12.4. Mobility in soil

Mobility: ReadilyVabsorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 20 01 30

Disposal of packaging: Clean with water. May be reused following decontamination. Recycle container where permitted. Disposal of waste containers must be done in accordance with local and / or national regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation. H318: Causes serious eye damage.

H319: Causes serious eye irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.